



CorePro LEDbulb

CorePro LEDbulb ND 7.5-60W A60 E27 830

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost.

Product data


General Information	
Cap-Base	E27 [E27]
RoHS mark	RoHS mark
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	7.5-60W
Light Technical	
Colour Code	830 [CCT of 3000K]
Beam Angle (Nom)	200 °
Luminous Flux (Nom)	806 lm
Luminous Flux (Rated) (Nom)	806 lm
Colour Designation	White (WH)
Colour Temperature, horizontal (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	107.00 lm/W
Color Consistency	<6
Colour Rendering Index horiz (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	7.5 W
Lamp Current (Nom)	70 mA
Wattage Equivalent	60 W

Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.5
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	85 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted (FR)
Approval and Application	
Energy Efficiency Label	A+
Energy Consumption kWh/1000 h	8 kWh
Product Data	
Full product code	871869657771400
Order product name	CorePro LEDbulb ND 7.5-60W A60 E27 830
EAN/UPC - Product	8718696577714
Order code	57771400
Numerator - Quantity Per Pack	1

CorePro LEDbulb

Numerator - Packs per outer box	10
Material Nr. (12NC)	929001304732
Net Weight (Piece)	0.076 kg



Dimensional drawing



A60 220-240V 8W-60W 806lm 3000K E27 ND


Product	D	C
CorePro LEDbulb ND 7.5-60W A60 E27 830	60 mm	110 mm

Photometric data



CorePro LEDbulb 60W E27 830 FR A60



CorePro LEDbulb 40W E27 830 FR A60



CorePro LEDbulb 40W E27 830 FR A60

CorePro LEDbulb

Lifetime



LEDbulb 40W E27 830 FR A60

LEDbulb 40W E27 830 FR A60

