



CorePro LEDbulb

CorePro LEDbulb ND 7.5-60W A60 E27 840

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost.

Product data


General Information	
Cap-Base	E27 [E27]
RoHS mark	RoHS mark
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	7.5-60W
Light Technical	
Colour Code	840 [CCT of 4000K]
Beam Angle (Nom)	200 °
Luminous Flux (Nom)	806 lm
Luminous Flux (Rated) (Nom)	806 lm
Colour Designation	Cool White (CW)
Colour Temperature, horizontal (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	107.00 lm/W
Color Consistency	<6
Colour Rendering Index horiz (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	7.5 W
Lamp Current (Nom)	75 mA
Wattage Equivalent	60 W

Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.5
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	85 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted (FR)
Approval and Application	
Energy Efficiency Label	A+
Energy Consumption kWh/1000 h	8 kWh
Product Data	
Full product code	871869657777600
Order product name	CorePro LEDbulb ND 7.5-60W A60 E27 840
EAN/UPC - Product	8718696577776
Order code	57777600
Numerator - Quantity Per Pack	1

CorePro LEDbulb

Numerator - Packs per outer box	10
Material Nr. (12NC)	929001234702
Net Weight (Piece)	0.076 kg



Dimensional drawing




Entrybulb 230V 8W-60W 806lm 4000K E27 ND

Product	D	C
CorePro LEDbulb ND 7.5-60W A60 E27 840	60 mm	110 mm

Photometric data





CorePro LEDbulb ND 7.5-60W A60



A60 /840 FR

CorePro LEDbulb

Lifetime



LEDbulb 40W E27 830 FR A60

LEDbulb 40W E27 830 FR A60

