



CorePro LEDbulb

CorePro LEDbulb ND 12.5-100W A60 E27 865

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost.

Product data


General Information	
Cap-Base	E27 [E27]
RoHS mark	RoHS mark
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	12.5-100W
Light Technical	
Colour Code	865 [CCT of 6500K]
Beam Angle (Nom)	200 °
Luminous Flux (Nom)	1521 lm
Luminous Flux (Rated) (Nom)	1521 lm
Colour Designation	Cool Daylight
Colour Temperature, horizontal (Nom)	6500 K
Luminous Efficacy (rated) (Nom)	121.00 lm/W
Color Consistency	<6
Colour Rendering Index horiz (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	12.5 W
Lamp Current (Nom)	115 mA
Wattage Equivalent	100 W

Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.5
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	85 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted (FR)
Approval and Application	
Energy Efficiency Label	A+
Energy Consumption kWh/1000 h	13 kWh
Product Data	
Full product code	871869657781300
Order product name	CorePro LEDbulb ND 12.5-100W A60 E27 865
EAN/UPC - Product	8718696577813
Order code	57781300
Numerator - Quantity Per Pack	1

CorePro LEDbulb

Numerator - Packs per outer box	10
Material Nr. (12NC)	929001312502
Net Weight (Piece)	0.076 kg



Dimensional drawing



A60 220-240V 12.5W-100W 6500K E27 ND


Product	D	C
CorePro LEDbulb ND 12.5-100W A60 E27 865	60 mm	110 mm

Photometric data



CorePro LEDbulb 100W E27 865 FR A60


CorePro LEDbulb 40W E27 865 FR A60



CorePro LEDbulb 100W E27 840 FR A60

CorePro LEDbulb

Lifetime



LEDbulb 100W E27 840 FR A60

LEDbulb 100W E27 840 FR A60

