



CorePro LEDbulb

LED Globe 100W G93 E27 WW FR ND 1CT/4

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost.

Product data


General Information	
Cap-Base	E27 [E27]
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	15-100W
Light Technical	
Colour Code	827 [CCT of 2700K]
Beam Angle (Nom)	200 °
Luminous Flux (Nom)	1521 lm
Luminous Flux (Rated) (Nom)	1521 lm
Colour Designation	Warm White (WW)
Colour Temperature, horizontal (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	101.00 lm/W
Color Consistency	<6
Colour Rendering Index horiz (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	15 W
Lamp Current (Nom)	90 mA
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s

Power Factor (Nom)	0.7
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	80 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted (FR)
Approval and Application	
Energy Efficiency Label	A+
Suitable For Accent Lighting	No
Energy Consumption kWh/1000 h	15 kWh
Product Data	
Full product code	871869658061500
Order product name	LED Globe 100W G93 E27 WW FR ND 1CT/4
EAN/UPC - Product	8718696580615
Order code	58061500
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	4

CorePro LEDbulb

Material Nr. (12NC)	929001229401
Net Weight (Piece)	0.070 kg



Dimensional drawing




bulb 100-240V 18W-100W1521lm 2700K E27ND

Product	D	C
LED Globe 100W G93 E27 WW FR ND 1CT/4	95 mm	128 mm

Photometric data



LEDGlobe 100W G93 E27 827 FR 1521lm ND



CorePro LEDbulb

