



CorePro LEDbulb

CorePro LED bulb ND 17.5-150W A67E27 840

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost.

Product data


General Information	
Cap-Base	E27 [E27]
RoHS mark	RoHS mark
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	17.5-150W
Light Technical	
Colour Code	840 [CCT of 4000K]
Beam Angle (Nom)	150 °
Luminous Flux (Nom)	2500 lm
Luminous Flux (Rated) (Nom)	2500 lm
Colour Designation	Cool White (CW)
Colour Temperature, horizontal (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	142.00 lm/W
Color Consistency	<7
Colour Rendering Index horiz (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	17.5 W
Lamp Current (Nom)	165 mA
Wattage Equivalent	150 W

Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.51
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	85 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted (FR)
Approval and Application	
Energy Efficiency Label	A++
Energy Consumption kWh/1000 h	18 kWh
Product Data	
Full product code	871869681387400
Order product name	CorePro LED bulb ND 17.5-150W A67E27 840
EAN/UPC - Product	8718696813874
Order code	81387400
Numerator - Quantity Per Pack	1

CorePro LEDbulb

Numerator - Packs per outer box	6
Material Nr. (12NC)	929001892502
Net Weight (Piece)	0.174 kg



Dimensional drawing



Bulb A67 plus 21-150W 2500lm 4000K E27


Product	D	C
CorePro LED bulb ND 17.5-150W A67E27 840	76.8 mm	142 mm

Photometric data



150W E27 A67 FR 150D 840 4000K



150W E27 A67 FR 150D 827 2700K



150W E27 A67 FR

CorePro LEDbulb

Lifetime



150W E27 A67 FR

150W E27 A67 FR

