



# CorePro LEDspot MV

## Corepro LEDspot 550lm GU10 865 120D

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E14 holder and are designed as a retrofit replacement for halogen or incandescent spots. LEDlamps deliver huge energy savings and minimize maintenance cost.

### Product data


General Information	
Cap-Base	GU10 [ GU10]
RoHS mark	RoHS mark
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Light Technical	
Colour Code	865 [ CCT of 6500K]
Beam Angle (Nom)	120 °
Luminous Flux (Nom)	550 lm
Luminous Flux (Rated) (Nom)	550 lm
Colour Designation	Cool Daylight
Rated Beam Angle	120 °
Colour Temperature, horizontal (Nom)	6500 K
Luminous Efficacy (rated) (Nom)	110.00 lm/W
Color Consistency	<6
Colour Rendering Index horiz (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	5 W
Lamp Current (Nom)	41 mA

Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.5
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	65 °C
Controls and Dimming	
Dimmable	No
Approval and Application	
Energy Efficiency Label	A+
Suitable For Accent Lighting	No
Energy Consumption kWh/1000 h	5 kWh
Product Data	
Full product code	871869668692800
Order product name	Corepro LEDspot 550lm GU10 865 120D
EAN/UPC - Product	8718696686928
Order code	68692800
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10

# CorePro LEDspot MV

Material Nr. (12NC)	929001297432
Net Weight (Piece)	0.038 kg



## Dimensional drawing




CLA LEDspotMV ND 500lm GU10 865 120D

Product	D	C
Corepro LEDspot 550lm GU10 865 120D	50 mm	55 mm

## Photometric data




CLA LEDspotMV ND 5W PAR16 GU10 865 520lm




# CorePro LEDspot MV

## Lifetime



CLA LEDspotMV 50W GU10 827 36D ND



CLA LEDspotMV 50W GU10 827 36D ND

