

PRODUCT-DETAILS

## CR-P230AC1

### CR-P230AC1 Pluggable interface relay 1c/o, A1-A2=230VAC, 250V/16A



#### General Information

|                       |   |
|-----------------------|---|
| Extended Product Type | CR-P230AC1  |
| Product ID            | 1SVR405600R3000   |
| EAN                   | 4013614498169   |
| Catalog Description   | CR-P230AC1 Pluggable interface relay 1c/o, A1-A2=230VAC, 250V/16A   |
| Long Description      | The CR-P230AC1 pluggable interface relay is from the CR-P (pcb) relay range. This relay operates with a 230 V AC rated control supply voltage and has a 1 c/o (SPDT) output contact rated at 250 V / 16 A. Standard sockets, logic sockets, pluggable function modules, holder and marker are available as accessories. |

#### Ordering

|                        |          |
|------------------------|----------|
| Minimum Order Quantity | 10 piece |
| Customs Tariff Number  | 85364900 |

#### Popular Downloads

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 2CDC117001D0203 |
| Instructions and Manuals          | 1SVC405600M9000 |

#### Dimensions

|                   |         |
|-------------------|---------|
| Product Net Width | 12.7 mm |
|-------------------|---------|

|                            |          |
|----------------------------|----------|
| Product Net Height         | 15.7 mm  |
| Product Net Depth / Length | 29 mm    |
| Product Net Weight         | 0.014 kg |

## Technical

|  |                                    |
|--|------------------------------------|
| Function                                       | Pluggable pcb interface relay CR-P |
| Sub-Function                                   | Relay w/o built in LED             |
| Output   | 1 c/o (SPDT) contact               |
| Output Signal                                  | 250 V / 16 A                       |
| Rated Control Supply Voltage (U <sub>s</sub> ) | 230 V AC                           |

## Environmental

|             |                                   |
|-------------|-----------------------------------|
| RoHS Status | Following EU Directive 2011/65/EU |
|-------------|-----------------------------------|

## Certificates and Declarations (Document Number)

|                                       |                             |
|---------------------------------------|-----------------------------|
| CCC Certificate                       | CCC_2007010303228779        |
| CSA Certificate                       | CSA_1587291                 |
| cUR Certificate                       | cUR_E244330                 |
| Declaration of Conformity - CCC (CCC) | 2020970303000496            |
| Declaration of Conformity - CE        | No declaration needed       |
| EAC Certificate                       | EAC_RU_C-DE.ME77.B.00446-19 |
| Environmental Information             | 1SAA981009-2401             |
| Instructions and Manuals              | 1SVC405600M9000             |
| RMRS Certificate                      | RMRS_1740019250             |
| RoHS Information                      | 1SVD981001-4400             |
| UR Certificate                        | UR_E244330                  |
| VDE Certificate                       | VDE_40019129                |

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | 10 piece      |
| Package Level 1 Width          | 332 mm        |
| Package Level 1 Height         | 28 mm         |
| Package Level 1 Depth / Length | 17 mm         |
| Package Level 1 Gross Weight   | 0.157 kg      |
| Package Level 1 EAN            | 4013614372971 |

## Classifications

|                            |                            |
|----------------------------|----------------------------|
| Object Classification Code | K                          |
| ETIM 4                     | EC001437 - Switching relay |
| ETIM 5                     | EC001437 - Switching relay |
| ETIM 6                     | EC001437 - Switching relay |
| ETIM 7                     | EC001437 - Switching relay |

|                    |              |
|--------------------|--------------|
| eClass             | 7.0 27371601 |
| UNSPSC             | 39122331     |
| E-Number (Finland) | 2712752      |
| E-Number (Sweden)  | 4005305      |

---

## Categories

---

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Interface Relays and Optocouplers

