

Информационен лист | Номер на артикул: 2004-1207


2-conductor ground terminal block; 4 mm²; suitable for Ex e II applications;
side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE
CLAMP®; 4,00 mm²; green-yellow



RoHS
Compliant



Цвят:



Данни

Connection data

Connection technology	Push-in CAGE CLAMP®
Actuation type	Push-in Operating tool
Connectable conductor materials	Copper
Nominal cross-section	4 mm ²
Solid conductor	0,5 ... 6 mm ² / 20 ... 10 AWG



Solid conductor; push-in termination	1,5 ... 6 mm ² / 14 ... 10 AWG
Fine-stranded conductor	0,5 ... 6 mm ² / 20 ... 10 AWG
Fine-stranded conductor; with insulated ferrule	1,5 ... 4 mm ² / 18 ... 12 AWG
Fine-stranded conductor; with ferrule; push-in termination	1,5 ... 4 mm ² / 18 ... 12 AWG
Note (conductor cross-section)	Depending on the conductor characteristic, a conductor with a smaller cross-section can also be inserted via push-in termination.
Strip length	11 ... 13 mm / 0.43 ... 0.51 inch
Total number of connection points	2
Total number of potentials	1
Number of levels	1
Wiring type	Front-entry wiring
Number of jumper slots	2

Physical data

Width	6,2 mm / 0.244 inch
Height from upper-edge of DIN-rail	32,9 mm / 1.295 inch
Depth	52,3 mm / 2.059 inch

Mechanical data

Design	horizontal type
Mounting type	DIN-35 rail
Marking level	Center/side marking

Material data

Color	green-yellow
Insulation material	Polyamide (PA66)
Fire load	0,12 MJ
Weight	12,4 g

Commercial data

Product Group	22 (TOPJOB S)
Packaging type	BOX
Country of origin	DE
GTIN	4017332071345
Customs tariff number	85369010000

Съвместими продукти

Jumper



Артикул №: 2004-402
Jumper; 2-way; insulated; light gray



Артикул №: 2004-403
Jumper; 3-way; insulated; light gray



Артикул №: 2004-404
Jumper; 4-way; insulated; light gray



Артикул №: 2004-405
Jumper; 5-way; insulated; light gray



Артикул №: 2004-405/011-000
Star point jumper; 3-way; insulated; light gray



Артикул №: 2004-406
Jumper; 6-way; insulated; light gray



Артикул №: 2004-406/020-000
Delta jumper; insulated; light gray



Артикул №: 2004-407
Jumper; 7-way; insulated; light gray



Артикул №: 2004-408
Jumper; 8-way; insulated; light gray



Артикул №: 2004-409
Jumper; 9-way; insulated; light gray



Артикул №: 2004-410
Jumper; 10-way; insulated; light gray



Артикул №: 2004-433
Jumper; from 1 to 3; insulated; light gray



Артикул №: 2004-434
Jumper; from 1 to 4; insulated; light gray



Артикул №: 2004-435
Jumper; from 1 to 5; insulated; light gray



Артикул №: 2004-436
Jumper; from 1 to 6; insulated; light gray



Артикул №: 2004-437
Jumper; from 1 to 7; insulated; light gray

**Артикул №: 2004-438**

Jumper; from 1 to 8; insulated; light gray

**Артикул №: 2004-439**

Jumper; from 1 to 9; insulated; light gray

**Артикул №: 2004-440**

Jumper; from 1 to 10; insulated; light gray

**Артикул №: 210-103**

Wire commoning chain; insulated; black

**Артикул №: 210-123**

Wire commoning chain; insulated; blue

End plate**Артикул №: 2004-1293**

Separator plate; 2 mm thick; oversized; gray

**Артикул №: 2004-1294**

Separator plate; 2 mm thick; oversized; orange

**Артикул №: 209-190**

Separator for Ex e/Ex i applications; 3 mm thick; 90 mm wide; orange

**Артикул №: 209-191**

Separator for Ex e/Ex i applications; 3 mm thick; 120 mm wide; orange

ferrule**Артикул №: 216-262**Ferrule; Sleeve for 0.75 mm² / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray**Артикул №: 216-263**Ferrule; Sleeve for 1 mm² / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red**Артикул №: 216-264**Ferrule; Sleeve for 1.5 mm² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black**Артикул №: 216-266**Ferrule; Sleeve for 2.5 mm² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue**Артикул №: 216-267**Ferrule; Sleeve for 4 mm² / AWG 12; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray**check****Артикул №: 2004-511**Modular TOPJOB®S connector; modular; for jumper contact slot; 1-pole; 4,00 mm²; gray**Артикул №: 2004-549**

Spacer module; modular; e.g., for bridging commoned terminal blocks; gray

**Артикул №: 2004-552**Modular TOPJOB®S connector; modular; for jumper contact slot; 2-pole; 4,00 mm²; gray**Артикул №: 2004-553**Modular TOPJOB®S connector; modular; for jumper contact slot; 3-pole; 4,00 mm²; gray**Артикул №: 2004-554**Modular TOPJOB®S connector; modular; for jumper contact slot; 4-pole; 4,00 mm²; gray**Артикул №: 2004-555**Modular TOPJOB®S connector; modular; for jumper contact slot; 5-pole; 4,00 mm²; gray**Артикул №: 2009-174**

Test plug adapter; for 4 mm Ø test plugs; for testing TOPJOB®S rail-mounted terminal blocks; gray

**Артикул №: 2009-182**Testing tap; for max. 2.5 mm²; tool-free connection for individual test wires 0.08 - 2.5 mm; gray**Insulation stop****Артикул №: 2004-171**Insulation stop; 0.25 - 0.5 mm²; 5 pieces/strip; light gray**Артикул №: 2004-172**Insulation stop; 0.75 - 1 mm²; 5 pieces/strip; dark gray**Marking accessories****Артикул №: 2009-110**

Marking strips; for Smart Printer; on reel; not stretchable; plain; snap-on type; white

**Артикул №: 2009-115**

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white

**Артикул №: 2009-115/000-002**

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; yellow

**Артикул №: 2009-115/000-005**

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; red

**Артикул №: 2009-115/000-006**

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; blue

**Артикул №: 2009-115/000-007**

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; gray

**Артикул №: 2009-115/000-012**

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; orange

**Артикул №: 2009-115/000-017**

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; light green

**Артикул №: 2009-115/000-023**

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; green

**Артикул №: 2009-115/000-024**

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; violet

**Артикул №: 2009-145**

Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white

**Артикул №: 2009-145/000-002**

Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; yellow

**Артикул №: 2009-145/000-005**

Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; red

**Артикул №: 2009-145/000-006**

Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; blue

**Артикул №: 2009-145/000-007**

Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; gray

**Артикул №: 2009-145/000-012**

Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; orange

**Артикул №: 2009-145/000-023**

Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; green

**Артикул №: 2009-145/000-024**

Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; violet

**Артикул №: 2009-191**

Group marker carrier

**Артикул №: 2009-192**

Group marker carrier

**Артикул №: 2009-193**

Group marker carrier



Артикул №: 2009-198
Adaptor; gray



Артикул №: 248-501
Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card



Артикул №: 248-501/000-002
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; yellow



Артикул №: 248-501/000-005
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; red



Артикул №: 248-501/000-006
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; blue



Артикул №: 248-501/000-007
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; gray



Артикул №: 248-501/000-012
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; orange



Артикул №: 248-501/000-017
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; light green



Артикул №: 248-501/000-023
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; green



Артикул №: 248-501/000-024
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; violet



Артикул №: 793-501
WMB marking card; as card; not stretchable; plain; snap-on type; white



Артикул №: 793-501/000-002
WMB marking card; as card; not stretchable; plain; snap-on type; yellow



Артикул №: 793-501/000-005
WMB marking card; as card; not stretchable; plain; snap-on type; red



Артикул №: 793-501/000-006
WMB marking card; as card; not stretchable; plain; snap-on type; blue

**Артикул №: 793-501/000-007**

WMB marking card; as card; not stretchable; plain; snap-on type; gray

**Артикул №: 793-501/000-012**

WMB marking card; as card; not stretchable; plain; snap-on type; orange

**Артикул №: 793-501/000-017**

WMB marking card; as card; not stretchable; plain; snap-on type; light green

**Артикул №: 793-501/000-023**

WMB marking card; as card; not stretchable; plain; snap-on type; green

**Артикул №: 793-501/000-024**

WMB marking card; as card; not stretchable; plain; snap-on type; violet

**Артикул №: 793-5501**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; white

**Артикул №: 793-5501/000-002**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; yellow

**Артикул №: 793-5501/000-005**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; red

**Артикул №: 793-5501/000-006**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; blue

**Артикул №: 793-5501/000-007**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; gray

**Артикул №: 793-5501/000-012**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; orange

**Артикул №: 793-5501/000-014**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; brown

**Артикул №: 793-5501/000-017**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; green

**Артикул №: 793-5501/000-023**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on

type; light green



Артикул №: 793-5501/000-024

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; violet

tools



Артикул №: 210-658

Operating tool; Blade: 3.5 x 0.5 mm; with a partially insulated shaft; angled; short; multicoloured



Артикул №: 210-720


Operating tool; Blade: 3.5 x 0.5 mm; with a partially insulated shaft; multicoloured

Carrier rail



Артикул №: 210-112

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm; silver-colored



Артикул №: 210-113

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715; silver-colored



Артикул №: 210-114

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715; silver-colored




Артикул №: 210-115

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm; silver-colored



Артикул №: 210-118

Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; silver-colored



Артикул №: 210-196

Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715; silver-colored



Артикул №: 210-197

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715; silver-colored




Артикул №: 210-198

Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; copper-colored



Артикул №: 210-504

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; galvanized; according to EN 60715



Артикул №: 210-505

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; galvanized; according to EN 60715; silver-colored



Артикул №: 210-506

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; galvanized; similar to EN 60715; silver-colored



Артикул №: 210-508

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; galvanized; similar to EN 60715; silver-colored

Protective Warning Marker



Артикул №: 2004-115

Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks; yellow
