


Информационен лист | Номер на артикул: 2006-1207

2-conductor ground terminal block; 6 mm²; suitable for Ex e II applications;
side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE
CLAMP®; 6,00 mm²; green-yellow



Данни

Electrical data

Ratings per IEC/EN 60664-1

Ratings per

IEC/EN 60947-7-2

Connection data

| | |
|--|---|
| Connection technology | Push-in CAGE CLAMP® |
| Actuation type | Push-in Operating tool |
| Connectable conductor materials | Copper |
| Nominal cross-section | 6 mm ² |
| Solid conductor | 0,5 ... 10 mm ² / 20 ... 8 AWG |
| Solid conductor; push-in termination | 2,5 ... 10 mm ² / 14 ... 8 AWG |
| Fine-stranded conductor | 0,5 ... 10 mm ² / 20 ... 8 AWG |
| Fine-stranded conductor; with insulated ferrule | 2,5 ... 6 mm ² / 16 ... 10 AWG |
| Fine-stranded conductor; with ferrule; push-in termination | 2,5 ... 6 mm ² / 16 ... 10 AWG |

| | |
|-----------------------------------|---|
| Note (conductor cross-section) | Depending on the conductor characteristic, a conductor with a smaller cross-section can also be inserted via push-in termination. |
| Strip length | 13 ... 15 mm / 0.51 ... 0.59 inch |
| Total number of connection points | 2 |
| Total number of potentials | 1 |
| Number of levels | 1 |
| Wiring type | Front-entry wiring |
| Number of jumper slots | 2 |

Physical data

| | |
|------------------------------------|----------------------|
| Width | 7,5 mm / 0.295 inch |
| Height from upper-edge of DIN-rail | 32,9 mm / 1.295 inch |
| Depth | 57,5 mm / 2.264 inch |

Mechanical data

| | |
|---------------|---------------------|
| Design | horizontal type |
| Mounting type | DIN-35 rail |
| Marking level | Center/side marking |

Material data

| | |
|---------------------|------------------|
| Color | green-yellow |
| Insulation material | Polyamide (PA66) |
| Fire load | 0,15 MJ |
| Weight | 17,2 g |

Commercial data

| | |
|-----------------------|---------------|
| Product Group | 22 (TOPJOB S) |
| Packaging type | BOX |
| Country of origin | DE |
| GTIN | 4017332999670 |
| Customs tariff number | 85369010000 |

Съвместими продукти

Protective Warning Marker



Артикул №: 2006-115

Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks; yellow

End plate



Артикул №: 2006-1293
Separator plate; 2 mm thick; oversized; gray



Артикул №: 2006-1294
Separator plate; 2 mm thick; oversized; orange



Артикул №: 209-191
Separator for Ex e/Ex i applications; 3 mm thick; 120 mm wide; orange

ferrule



Артикул №: 216-208
Ferrule; Sleeve for 6 mm² / AWG 10; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; yellow



Артикул №: 216-262
Ferrule; Sleeve for 0.75 mm² / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray



Артикул №: 216-263
Ferrule; Sleeve for 1 mm² / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red



Артикул №: 216-264
Ferrule; Sleeve for 1.5 mm² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black



Артикул №: 216-266
Ferrule; Sleeve for 2.5 mm² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue



Артикул №: 216-267
Ferrule; Sleeve for 4 mm² / AWG 12; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray

check



Артикул №: 2006-511
Modular TOPJOB®S connector; modular; for jumper contact slot; 1-pole; 6,00 mm²; gray



Артикул №: 2006-549
Spacer module; modular; e.g., for bridging commoned terminal blocks; gray



Артикул №: 2009-174
Test plug adapter; for 4 mm Ø test plugs; for testing TOPJOB®S rail-mounted terminal blocks; gray



Артикул №: 2009-182
Testing tap; for max. 2.5 mm²; tool-free connection for individual test wires 0.08 - 2.5 mm; gray



Артикул №: 210-136
Test plug; 2 mm Ø; with 500 mm cable; red

protection



Артикул №: 2006-191
Lockout cap; for wire insertion and actuating opening; gray

Carrier rail

Артикул №: 210-112



Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm; silver-colored



Артикул №: 210-113
Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715; silver-colored



Артикул №: 210-114
Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715; silver-colored



Артикул №: 210-115
Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm; silver-colored



Артикул №: 210-118
Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; silver-colored



Артикул №: 210-196
Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715; silver-colored



Артикул №: 210-197
Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715; silver-colored



Артикул №: 210-198
Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; copper-colored



Артикул №: 210-504
Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; galvanized; according to EN 60715



Артикул №: 210-505
Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; galvanized; according to EN 60715; silver-colored



Артикул №: 210-506
Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; galvanized; similar to EN 60715; silver-colored



Артикул №: 210-508
Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; galvanized; similar to EN 60715; silver-colored

tools



Артикул №: 210-721
Operating tool; Blade: 5.5 x 0.8 mm; with a partially insulated shaft; multicoloured

Jumper



Артикул №: 2006-402
Jumper; 2-way; insulated; light gray



Артикул №: 2006-403
Jumper; 3-way; insulated; light gray



Артикул №: 2006-404
Jumper; 4-way; insulated; light gray

Артикул №: 2006-405
Jumper; 5-way; insulated; light gray



Артикул №: 2006-405/011-000
Star point jumper; 3-way; insulated; light gray



Артикул №: 2006-433
Jumper; from 1 to 3; insulated; light gray



Артикул №: 2006-434
Jumper; from 1 to 4; insulated; light gray



Артикул №: 2006-435
Jumper; from 1 to 5; insulated; light gray

Marking accessories



Артикул №: 2009-110
Marking strips; for Smart Printer; on reel; not stretchable; plain; snap-on type; white



Артикул №: 2009-115
WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white



Артикул №: 2009-115/000-002
WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; yellow



Артикул №: 2009-115/000-006
WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; blue



Артикул №: 2009-115/000-007
WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; gray



Артикул №: 2009-115/000-012
WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; orange



Артикул №: 2009-115/000-017
WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; light green


















Артикул №: 2009-115/000-023
WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; green



Артикул №: 2009-115/000-024
WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; violet



Артикул №: 2009-145
Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white

| | |
|--|--|
|  | Артикул №: 2009-145/000-002 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; yellow |
|  | Артикул №: 2009-145/000-005 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; red |
|  | Артикул №: 2009-145/000-006 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; blue |
|  | Артикул №: 2009-145/000-007 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; gray |
|  | Артикул №: 2009-145/000-012 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; orange |
|  | Артикул №: 2009-145/000-023 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; green |
|  | Артикул №: 2009-145/000-024 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; violet |
|  | Артикул №: 2009-191 Group marker carrier |
|  | Артикул №: 2009-192 Group marker carrier |
|  | Артикул №: 2009-193 Group marker carrier |
|  | Артикул №: 2009-198 Adaptor; gray |
|  | Артикул №: 248-501 Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card |
|  | Артикул №: 248-501/000-002 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; yellow |
|  | Артикул №: 248-501/000-005 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; red |
|  | Артикул №: 248-501/000-006 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; blue |



Артикул №: 248-501/000-007

Mini-WSB marking card; as card; not stretchable; plain; snap-on type; gray



Артикул №: 248-501/000-012

Mini-WSB marking card; as card; not stretchable; plain; snap-on type; orange



Артикул №: 248-501/000-017

Mini-WSB marking card; as card; not stretchable; plain; snap-on type; light green



Артикул №: 248-501/000-023

Mini-WSB marking card; as card; not stretchable; plain; snap-on type; green



Артикул №: 248-501/000-024

Mini-WSB marking card; as card; not stretchable; plain; snap-on type; violet



Артикул №: 793-501

WMB marking card; as card; not stretchable; plain; snap-on type; white



Артикул №: 793-501/000-002

WMB marking card; as card; not stretchable; plain; snap-on type; yellow



Артикул №: 793-501/000-005

WMB marking card; as card; not stretchable; plain; snap-on type; red



Артикул №: 793-501/000-006

WMB marking card; as card; not stretchable; plain; snap-on type; blue



Артикул №: 793-501/000-007

WMB marking card; as card; not stretchable; plain; snap-on type; gray



Артикул №: 793-501/000-012

WMB marking card; as card; not stretchable; plain; snap-on type; orange



Артикул №: 793-501/000-017

WMB marking card; as card; not stretchable; plain; snap-on type; light green



Артикул №: 793-501/000-023

WMB marking card; as card; not stretchable; plain; snap-on type; green



Артикул №: 793-501/000-024

WMB marking card; as card; not stretchable; plain; snap-on type; violet



Артикул №: 793-5501

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; white



Артикул №: 793-5501/000-002

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; yellow



Артикул №: 793-5501/000-005

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; red



Артикул №: 793-5501/000-006

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; blue



Артикул №: 793-5501/000-007

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; gray



Артикул №: 793-5501/000-012

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; orange



Артикул №: 793-5501/000-017

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; green



Артикул №: 793-5501/000-023

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; light green



Артикул №: 793-5501/000-024

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; violet