

- ✓ Powerful 750 watt motor
- ✓ 30 mm drilling capacity in concrete
- ✓ Rotary stop for light chiselling applications
- ✓ Soft hammer mode reduces blow energy and speed for controlled drilling in masonry
- ✓ AVS anti-vibration system significantly reduces vibration for user comfort and safety
- ✓ Safety clutch for user protection
- ✓ Hammer action stop for drilling in wood or metal
- ✓ Powerful 750 watt motor
- ✓ 30 mm drilling capacity in concrete
- ✓ Rotary stop for light chiselling applications



Blow energy (EPTA)(J)	3,4
Full load hammer action (bpm)	0 - 4200
Max. drilling concrete (mm)	30
Max. drilling core bit (mm)	82
Max. drilling steel (mm)	16
Max. drilling wood (mm)	40
Max. drilling wood/ steel/ concrete (mm)	40 / 16 / 30
No load speed (rpm)	0 - 970
Power input (W)	750
Power output (W)	375
Sound power level (Lwa)(dB(A))	106
Sound power level uncertainty (dB(A))	3
Sound pressure level (Lpa)(dB(A))	95
Sound pressure level uncertainty (dB(A))	3
Supplied in	Kitbox
Vibration chiseling (m/s <sup>2</sup> )	18
Vibration chiselling uncertainty (m/s <sup>2</sup> )	2,3
Vibration drilling (m/s <sup>2</sup> )	20,0
Vibration drilling into concrete [m/s <sup>2</sup> ]	20
Vibration drilling into concrete uncertainty [m/s <sup>2</sup> ]	1,5
Weight (kg)	3,4