


FERRITE MATERIAL:K5B (RMS-303)										
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK				
				25MHz	100MHz					
RRH-25-8-40	2.50	4.00	0.80	33	52	4,000				
RRH-25-8-70		7.00		55	85					
RRH-30-10-30	3.00	3.00	1.00	25	47		2,000			
RRH-30-12-30			1.20	23	44					
RRH-30-10-40		4.00	32	51	4,000					
RRH-30-10-60	6.00	1.00	46	74						
RRH-35-8-35		0.80	37	62						
RRH-35-12-35	3.50	1.20	26	45	4,000					
RRH-35-18-35			1.80	19				37		
RRH-35-10-40			4.00	1.00				32	55	
RRH-35-12-40	1.20	31		46				2,000		
RRH-35-13-40	1.30	29		48						
RRH-35-15-40	1.50	25	43							
RRH-35-8-45	4.50	0.80	46	86		4,000				
RRH-35-8-47	4.70		77							
RRH-35-8-50	5.00	1.20	50	85			2,000			
RRH-35-12-50			37	55						
RRH-35-13-50			1.30	61						
RRH-35-15-50	3.50	1.50	33	51				4,000		
RRH-35-18-50			1.80	27	48					
RRH-35-8-60			6.00	0.80	57				92	
RRH-35-10-60	1.00	53		75	2,000					
RRH-35-12-60	1.20	45		73						
RRH-35-13-60	7.00	1.30	43	64					4,000	
RRH-35-15-60		1.50	35	60						
RRH-35-18-60		1.80	28	54						
RRH-35-12-70	7.00	1.20	54	84	2,000					
RRH-35-8-75	7.50	0.80	69	114						
RRH-35-8-80	77		134	4,000						
RRH-35-10-80	8.00	1.00	78			111	2,000			
RRH-35-8-90		0.80	93	158		1,000				
RRH-35-13-90	9.00	1.30	62	80				2,000		
RRH-35-8-95		0.80	84	133		1,000				
RRH-35-8-140	14.00	144	212	2,000						
RRH-40-15-40	4.00	1.50	26			51				4,000
RRH-40-20-40		2.00	24			48				
RRH-40-15-50	5.00	1.50	35			54			2,000	
RRH-40-20-50		28	51							
RRH-40-20-60		6.00	2.00		30	49				
RRH-40-20-70	40				64					
RRH-40-20-80	7.00	39	58		2,000					
RRH-40-15-100			0.05			65	91			
RRH-40-20-100	10.00	53				80	300			
RRH-40-20-120		12.00	52			76				
RRH-40-20-150	15.00		70			97				
RRH-40-20-170		17.00	79	116						

FERRITE MATERIAL:K5B (RMS-303)										
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK				
				25MHz	100MHz					
RRH-45-25-48	4.50	4.80	2.50	21	41	2,000				
RRH-45-25-70		7.00		32	55					
RRH-45-26-120	4.60	12.00	2.60	49	72		1,000			
RRH-46-20-110		11.00	2.00	65	104					
RRH-48-23-64		4.83	6.35	2.29	43			80		
RRH-50-23-50	5.00	5.00	2.30	30	55			500		
RRH-50-16-62		6.20	1.60	56	91					
RRH-50-24-64		6.35	2.36	32	50					
RRH-50-23-100	5.70	10.00	2.30	51	72				1,000	
RRH-50-15-110		11.00	1.50	84	119					
RRH-50-22-120		12.00	2.15	69	108					
RRH-50-22-180	6.00	18.00	3.00	128	147					500
RRH-50-15-200		20.00	1.50	158	221					
RRH-57-15-80		8.00	1.50	76	111					
RRH-60-30-100	6.35	10.00	3.00	52	90	1,000				
RRH-60-40-100		12.80	4.00	27	48					
RRH-60-40-128		18.00	3.15	100	155					
RRH-60-30-250	6.50	25.00	3.00	120	175		500			
RRH-64-33-127		12.70	3.30	55	80					
RRH-64-33-158		15.80	3.30	76	101					
RRH65-43-100	7.50	10.00	4.30	34	62			1,000		
RRH-65-43-110		11.00	38	63						
RRH-75-24-75	7.90	7.50	2.40	60	102				2,000	
RRH-79-30-100		10.00	3.00	68	108					1,000
RRH-79-40-128		12.80	4.00	66	107					
RRH-79-30-190	8.00	19.00	3.00	130	190					500
RRH-80-60-90		9.00	6.00	23	47					
RRH-80-60-98		9.80	22	41						
RRH-80-40-100	8.00	10.00	4.00	48	71	300				
RRH-80-32-101		10.06	3.18	67	115					
RRH-80-60-120		12.00	6.00	25	45					
RRH-80-50-160	9.30	16.00	5.00	59	104		500			
RRH93-45-95		9.50	4.50	53	98					
RRH-93-58-110		11.00	5.80	37	62					
RRH-95-48-95	9.50	9.50	4.80	50	86			300		
RRH-95-52-95		5.20	45	76						
RRH-95-52-100	10.00	10.00	5.80	48	74					
RRH-95-58-100		5.80	38	68						
RRH-95-50-104		10.40	5.00	53	81					
RRH-95-48-127	9.50	12.70	4.80	56	80					
RRH-95-50-145		14.50	75	121						
RRH-95-50-160		16.00	72	114						
RRH-95-50-190	9.52	19.00	5.00	95	135					
RRH-95-50-195		19.50	98	153						
RRH-96-51-159		15.88	5.08	74	103					

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	30/05/06	NJB
02	CO2010989	09/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



- NOTES.**
- See drawing 06-055 sheets 3 to 13 of 13 for Impedance graphs.
  - Impedance figures are typical values.
  - Other sizes available by special order.
  - Packaging information is only a guide & subject to variation.


INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

<b>RICHCO, INC.</b> WWW.RICHCO-INC.COM		ALL DIMENSIONS IN MM GENERAL TOLERANCES ±0.25 UNLESS OTHERWISE STATED 1 DECIMAL PLACE ± 2 DECIMAL PLACES ± ANGULAR ±1°	THIRD ANGLE 
MATERIAL: <b>See Table</b>		COLOUR: <b>See Table</b>	
DESCRIPTION: <b>RRH Solid Ferrite Cores</b>		PART No: <b>See Table</b>	
DRG No: <b>06-055</b>	NPR No:	Mass:(g)	SHEET SIZE <b>A3</b>
DRN <b>NJB</b>	DATE <b>30/05/06</b>	CHKD <b>AS</b>	DATE <b>30/05/06</b>
SCALE <b>NTS</b>		SHEET No. <b>1 OF 13</b>	

FERRITE MATERIAL:K5B (RMS-303)								
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK		
				25MHZ	100MHZ			
RRH-98-8-114	9.80	11.40	0.80	167	256	200		
RRH-98-67-135		13.50	6.70	43	91	500		
RRH-98-67-191		19.05		51	88	300		
RRH-100-50-100	10.00	10.00	5.00	54	85	500		
RRH-100-60-100		10.00	6.00	38	66			
RRH-100-70-100			7.00	31	57			
RRH-100-60-140	14.00	6.00	45	73	200			
RRH-105-55-200	10.50	20.00	5.50	95	138	150		
RRH-105-55-250		25.00		106	173			
RRH-110-50-160	11.00	16.00	5.00	87	138	200		
RRH-110-50-185		18.50		113	178			
RRH-110-50-200		20.00		106	154			
RRH-110-50-250		25.00		145	230		400	
RRH-115-50-185	11.50	18.50	4.30	101	146	100		
RRH-115-43-200		20.00		148	210			
RRH-115-43-260		26.00		190	270			
RRH-118-73-150	11.80	15.00	7.30	61	109	200		
RRH-120-70-120	12.00	12.00	7.00	46	76	300		
RRH-120-85-120		12.00	8.50	39	75	200		
RRH-120-56-150			5.60	79	124			
RRH-120-70-150		15.00	7.00	60	92	100		
RRH-120-85-150			8.50	45	85			
RRH-120-56-200		20.00	5.60	119	175	165		
RRH-120-73-200			7.30	69	108	100		
RRH-120-35-230		23.00	3.50	207	326	110		
RRH-120-56-300			30.00	5.60	180		260	
RRH-122-79-203		12.20	23.00	7.90	67	108	100	
RRH-123-70-200	12.30	20.00	7.00	72	137	165		
RRH-123-49-254	12.32	25.40	4.88	172	264	100		
RRH-125-80-125	12.50	12.50	8.00	42	72	200		
RRH-125-52-150		15.00	5.20	95	145			
RRH-127-79-127		12.70	12.70	7.90	43		60	
RRH-140-90-150	14.00	15.00	9.00	48	82	200		
RRH-142-64-150	14.20	15.00	6.35	92	146	110		
RRH-142-70-150			7.00	78	116			
RRH-142-80-150		8.00	63	107				
RRH-142-64-180		18.00	6.35	99	141		100	
RRH-142-70-235		23.50	7.00	127	204		110	
RRH-142-64-285			6.35	164	255			
RRH-142-70-285		28.50	7.00	143	243		110	
RRH-142-80-285			8.00	128	195			
RRH-149-70-190		14.99	19.00	6.99	107		171	128
RRH-149-70-279			27.94	151	237		110	

FERRITE MATERIAL:K5B (RMS-303)							
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK	
				25MHZ	100MHZ		
RRH-153-102-285	15.20	28.50	10.20	81	128	99	
RRH-153-90-170	15.25	17.00	9.00	53	103	120	
RRH-153-80-280		28.00	8.00	122	180	99	
RRH-157-70-286	15.65	28.57	6.99	164	258		
RRH-158-79-160	15.80	16.00	7.90	84	132	100	
RRH-159-79-286	15.88	28.57	7.87	148	241	99	
RRH-160-90-200	16.00	2.00	9.00	98	124	112	
RRH-160-80-160		16.00	8.00	77	116	100	
RRH-160-90-170		16.00	17.00	9.00	61	115	120
RRH-160-43-175			17.50	4.30	92	213	126
RRH-160-70-200		20.00	7.00	111	163	96	
RRH-160-70-280				174	247	99	
RRH-160-90-280		28.00	9.00	104	178		
RRH-160-100-280		28.00	10.00	91	156	99	
RRH-160-90-285			28.50	9.00	105		195
RRH-171-88-254		17.07	25.40	8.76	122	180	88
RRH-175-80-285	17.50	28.50	8.00	139	203		
RRH-175-83-285			8.30	143	242		
RRH-175-95-285			9.50	115	170		
RRH-175-107-285	17.50	28.50	10.70	90	150		
RRH-175-95-350			35.00	9.50	152	253	
RRH-180-100-180	18.00	18.00		80	135	100	
RRH-180-100-280		28.00		124	209	88	
RRH-180-100-290		29.00		128	210		
RRH-186-102-250	18.67	25.00	10.16	115	178		88
RRH-186-102-286		28.57		117	171		
RRH-190-130-290	19.00	29.00	13.00	60	105	77	
RRH-190-58-315		31.50	5.80	243	323		
RRH-190-58-350		35.00	272	340			
RRH-190-63-350	19.00	28.57	6.30	242	324	40	
RRH-259-128-286			25.91	12.83	127		195
RRH-280-160-280	28.00	28.00	16.00	110	169	32	
RRH-285-138-286	28.50	28.57	13.77	158	250	24	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	30/05/06	NJB
02	CO2010989	09/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



- NOTES.**
- See drawing 06-055 sheets 3 to 13 of 13 for Impedance graphs.
  - Impedance figures are typical values.
  - Other sizes available by special order.
  - Packaging information is only a guide & subject to variation.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

ALL DIMENSIONS IN MM  
GENERAL TOLERANCES ±0.25  
UNLESS OTHERWISE STATED  
1 DECIMAL PLACE ±  
2 DECIMAL PLACES ±  
ANGULAR ±1°

THIRD ANGLE















MATERIAL: See Table  
COLOUR: See Table

DESCRIPTION: RRH Solid Ferrite Cores  
PART No: See Table

DRG No: 06-055  
NPR No:  
Mass:(g) SHEET SIZE A3

DRN: NJB  
DATE: 30/05/06  
CHKD: AS  
DATE: 30/05/06  
SCALE: SHEET No. 2 OF 13

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	12/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.  
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.


**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.


DRG No: 06-055				SHEET SIZE A3
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06	SCALE NTS
			SHEET No. 3 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF


RRH-35-15-40




RRH-35-15-50




RRH-35-15-60




RRH-35-18-35




RRH-35-18-50




RRH-35-18-60




RRH-40-15-40




RRH-40-15-50




RRH-40-15-100




RRH-40-20-40




RRH-40-20-50




RRH-40-20-60



RRH-40-20-70



RRH-40-20-80



NOTES.  
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 4 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/10	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.  
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 5 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.  
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 6 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.  
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 7 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.  
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.















**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 8 OF 13	



REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.  
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 9 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.  
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055	SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS
DATE 19/06/06	SCALE NTS	SHEET No. 10 OF 13

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



**NOTES.**  
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
**RRH Solid Ferrite Cores, Impedance Graphs.**

DRG No: <b>06-055</b>		SHEET SIZE <b>A3</b>	
DRN <b>NJB</b>	DATE <b>19/06/06</b>	CHKD <b>AS</b>	SCALE <b>NTS</b>
DATE <b>19/06/06</b>		SHEET No. <b>11 OF 13</b>	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.  
1) Impedance figures are typical values.












INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 12 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011268	12/06/12	SF



NOTES.  
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 13 OF 13	