


FERRITE MATERIAL:K5B (RMS-303)						
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK
				25MHz	100MHz	
RRH-25-8-40	2.50	4.00	0.80	33	52	4,000
RRH-25-8-70		7.00		55	85	
RRH-30-10-30	3.00	3.00	1.00	25	47	
RRH-30-12-30			1.20	23	44	
RRH-30-10-40		4.00	32	51		
RRH-30-10-60	6.00	1.00	46	74		
RRH-35-8-35	3.50	3.50	0.80	37	62	
RRH-35-12-35			1.20	26	45	
RRH-35-18-35		1.80	19	37		
RRH-35-10-40		4.00	1.00	32	55	
RRH-35-12-40			1.20	31	46	
RRH-35-13-40			1.30	29	48	
RRH-35-15-40		1.50	25	43		
RRH-35-8-45		4.50	0.80	46	86	
RRH-35-8-47		4.70		77		
RRH-35-8-50		5.00	1.20	50	85	
RRH-35-12-50	37			55		
RRH-35-13-50	1.30		61			
RRH-35-15-50	1.50		33	51		
RRH-35-18-50	1.80	27	48			
RRH-35-8-60	6.00	0.80	57	92		
RRH-35-10-60		1.00	53	75		
RRH-35-12-60		1.20	45	73		
RRH-35-13-60		1.30	43	64		
RRH-35-15-60	7.00	1.50	35	60		
RRH-35-18-60		1.80	28	54		
RRH-35-12-70	7.00	1.20	54	84		
RRH-35-8-75	7.50	0.80	69	114		
RRH-35-8-80	8.00		77	134		
RRH-35-10-80	8.00	1.00	78	111		
RRH-35-8-90	9.00	0.80	93	158		
RRH-35-13-90		1.30	62	80		
RRH-35-8-95	9.50	0.80	84	133		
RRH-35-8-140	14.00		144	212		
RRH-40-15-40	4.00	1.50	26	51		
RRH-40-20-40		2.00	24	48		
RRH-40-15-50	5.00	1.50	35	54		
RRH-40-20-50		2.00	28	51		
RRH-40-20-60			30	49		
RRH-40-20-70		40	64			
RRH-40-20-80	8.00	39	58			
RRH-40-15-100	10.00	0.05	65	91		
RRH-40-20-100			53	80		
RRH-40-20-120		2.00	52	76		
RRH-40-20-150			70	97		
RRH-40-20-170	17.00	79	116			

FERRITE MATERIAL:K5B (RMS-303)						
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK
				25MHz	100MHz	
RRH-45-25-48	4.50	4.80	2.50	21	41	2,000
RRH-45-25-70		7.00		32	55	
RRH-45-26-120	4.60	12.00	2.60	49	72	
RRH-46-20-110		11.00	2.00	65	104	
RRH-48-23-64	4.83	6.35	2.29	43	80	
RRH-50-23-50	5.00	5.00	2.30	30	55	
RRH-50-16-62		6.20	1.60	56	91	
RRH-50-24-64		6.35	2.36	32	50	
RRH-50-23-100		10.00	2.30	51	72	
RRH-50-15-110	5.70	11.00	1.50	84	119	
RRH-50-22-120		12.00	2.15	69	108	
RRH-50-22-180		18.00	1.50	128	147	
RRH-50-15-200	6.00	20.00	1.50	158	221	
RRH-57-15-80		5.70	8.00	76	111	
RRH-60-30-100	6.00	10.00	3.00	52	90	
RRH-60-40-100		12.80	4.00	27	48	
RRH-60-40-128	6.35	18.00	3.15	100	155	
RRH-60-30-250		25.00	3.00	120	175	
RRH-64-33-127		12.70	3.30	55	80	
RRH-64-33-158	6.50	15.80	3.30	76	101	
RRH65-43-100		10.00	4.30	34	62	
RRH-65-43-110	11.00	4.30	38	63		
RRH-75-24-75	7.50	7.50	2.40	60	102	
RRH-79-30-100	7.90	10.00	3.00	68	108	
RRH-79-40-128		12.80	4.00	66	107	
RRH-79-30-190		19.00	3.00	130	190	
RRH-80-60-90	8.00	9.00	6.00	23	47	
RRH-80-60-98		9.80	6.00	22	41	
RRH-80-40-100		10.00	4.00	48	71	
RRH-80-32-101		10.06	3.18	67	115	
RRH-80-60-120	9.30	12.00	6.00	25	45	
RRH-80-50-160		16.00	5.00	59	104	
RRH93-45-95	9.50	9.50	4.50	53	98	
RRH-93-58-110		11.00	5.80	37	62	
RRH-95-48-95	9.50	9.50	4.80	50	86	
RRH-95-52-95		5.20	45	76		
RRH-95-52-100		10.00	5.80	48	74	
RRH-95-58-100		10.40	5.00	38	68	
RRH-95-50-104	12.70	12.70	4.80	56	80	
RRH-95-48-127		14.50	75	121		
RRH-95-50-145	16.00	16.00	5.00	72	114	
RRH-95-50-160		19.00	95	135		
RRH-95-50-195		19.50	98	153		
RRH-96-51-159	9.52	15.88	5.08	74	103	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	30/05/06	NJB
02	CO2010989	09/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



- NOTES.**
- See drawing 06-055 sheets 3 to 13 of 13 for Impedance graphs.
  - Impedance figures are typical values.
  - Other sizes available by special order.
  - Packaging information is only a guide & subject to variation.


INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

<b>RICHCO, INC.</b> WWW.RICHCO-INC.COM		ALL DIMENSIONS IN MM GENERAL TOLERANCES ±0.25 UNLESS OTHERWISE STATED 1 DECIMAL PLACE ± 2 DECIMAL PLACES ± ANGULAR ±1°	THIRD ANGLE 
MATERIAL: <b>See Table</b>		COLOUR: <b>See Table</b>	
DESCRIPTION: <b>RRH Solid Ferrite Cores</b>		PART No: <b>See Table</b>	
DRG No: <b>06-055</b>	NPR No:	Mass:(g)	SHEET SIZE <b>A3</b>
DRN <b>NJB</b>	DATE <b>30/05/06</b>	CHKD <b>AS</b>	DATE <b>30/05/06</b>
SCALE <b>NTS</b>		SHEET No. <b>1 OF 13</b>	

FERRITE MATERIAL:K5B (RMS-303)								
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK		
				25MHZ	100MHZ			
RRH-98-8-114	9.80	11.40	0.80	167	256	200		
RRH-98-67-135		13.50	6.70	43	91	500		
RRH-98-67-191		19.05		51	88	300		
RRH-100-50-100	10.00	10.00	5.00	54	85	500		
RRH-100-60-100		10.00	6.00	38	66			
RRH-100-70-100		10.00	7.00	31	57			
RRH-100-60-140	10.00	14.00	6.00	45	73	200		
RRH-105-55-200	10.50	20.00	5.50	95	138	150		
RRH-105-55-250		25.00		106	173			
RRH-110-50-160	11.00	16.00	5.00	87	138	200		
RRH-110-50-185		18.50		113	178			
RRH-110-50-200		20.00		106	154			
RRH-110-50-250		25.00		145	230		400	
RRH-115-50-185	11.50	18.50	4.30	101	146	100		
RRH-115-43-200		20.00		148	210			
RRH-115-43-260		26.00		190	270			
RRH-118-73-150	11.80	15.00	7.30	61	109	200		
RRH-120-70-120	12.00	12.00	7.00	46	76	300		
RRH-120-85-120		12.00	8.50	39	75	200		
RRH-120-56-150		12.00	5.60	79	124			
RRH-120-70-150		12.00	7.00	60	92			
RRH-120-85-150		12.00	8.50	45	85	100		
RRH-120-56-200		12.00	5.60	119	175			
RRH-120-73-200		12.00	7.30	69	108			
RRH-120-35-230		12.00	23.00	3.50	207	326		
RRH-120-56-300		12.00	30.00	5.60	180	260	110	
RRH-122-79-203		12.20	23.00	7.90	67	108	100	
RRH-123-70-200	12.30	20.00	7.00	72	137	165		
RRH-123-49-254	12.32	25.40	4.88	172	264	100		
RRH-125-80-125	12.50	12.50	8.00	42	72	200		
RRH-125-52-150		12.50	15.00	5.20	95		145	
RRH-127-79-127	12.70	12.70	7.90	43	60	200		
RRH-140-90-150	14.00	15.00	9.00	48	82	200		
RRH-142-64-150	14.20	14.20	6.35	92	146	100		
RRH-142-70-150		14.20	7.00	78	116			
RRH-142-80-150		14.20	8.00	63	107			
RRH-142-64-180		14.20	18.00	6.35	99		141	
RRH-142-70-235		14.20	23.50	7.00	127		204	
RRH-142-64-285		14.20	14.20	6.35	164		255	
RRH-142-70-285		14.20	28.50	7.00	143		243	
RRH-142-80-285		14.20	28.50	8.00	128		195	
RRH-149-70-190		14.99	14.99	6.99	107		171	128
RRH-149-70-279			14.99	27.94	6.99		151	237

FERRITE MATERIAL:K5B (RMS-303)							
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK	
				25MHZ	100MHZ		
RRH-153-102-285	15.20	28.50	10.20	81	128	99	
RRH-153-90-170	15.25	17.00	9.00	53	103	120	
RRH-153-80-280	15.25	28.00	8.00	122	180	99	
RRH-157-70-286	15.65	28.57	6.99	164	258		
RRH-158-79-160	15.80	16.00	7.90	84	132	100	
RRH-159-79-286	15.88	28.57	7.87	148	241	99	
RRH-160-90-200	16.00	2.00	9.00	98	124	112	
RRH-160-80-160		16.00	8.00	77	116	100	
RRH-160-90-170		16.00	17.00	9.00	61	115	120
RRH-160-43-175		16.00	17.50	4.30	92	213	126
RRH-160-70-200		16.00	20.00	7.00	111	163	96
RRH-160-70-280		16.00	28.00	7.00	174	247	99
RRH-160-90-280		16.00	28.00	9.00	104	178	
RRH-160-100-280		16.00	28.00	10.00	91	156	
RRH-160-90-285		16.00	28.50	9.00	105	195	88
RRH-171-88-254		17.07	25.40	8.76	122	180	
RRH-175-80-285	17.50	17.50	8.00	139	203	88	
RRH-175-83-285		17.50	8.30	143	242		
RRH-175-95-285		17.50	9.50	115	170		
RRH-175-107-285		17.50	10.70	90	150		
RRH-175-95-350	17.50	35.00	9.50	152	253	100	
RRH-180-100-180	18.00	18.00	8.00	80	135		
RRH-180-100-280	18.00	28.00	8.00	124	209	88	
RRH-180-100-290	18.00	29.00	8.00	128	210		
RRH-186-102-250	18.67	18.67	10.16	115	178	77	
RRH-186-102-286		18.67	28.57	10.16	117		171
RRH-190-130-290	19.00	19.00	13.00	60	105	40	
RRH-190-58-315		19.00	31.50	5.80	243		323
RRH-190-58-350		19.00	35.00	5.80	272		340
RRH-190-63-350	19.00	35.00	6.30	242	324	32	
RRH-259-128-286	25.91	28.57	12.83	127	195		
RRH-280-160-280	28.00	28.00	16.00	110	169	24	
RRH-285-138-286	28.50	28.57	13.77	158	250	24	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	30/05/06	NJB
02	CO2010989	09/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



- NOTES.**
- See drawing 06-055 sheets 3 to 13 of 13 for Impedance graphs.
  - Impedance figures are typical values.
  - Other sizes available by special order.
  - Packaging information is only a guide & subject to variation.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

ALL DIMENSIONS IN MM  
GENERAL TOLERANCES ±0.25  
UNLESS OTHERWISE STATED  
1 DECIMAL PLACE ±  
2 DECIMAL PLACES ±  
ANGULAR ±1°

THIRD ANGLE

MATERIAL: See Table  
COLOUR: See Table


DESCRIPTION: RRH Solid Ferrite Cores  
PART No: See Table

DRG No: 06-055  
NPR No:  
Mass:(g) SHEET SIZE A3


DRN: NJB  
DATE: 30/05/06  
CHKD: AS  
DATE: 30/05/06  
SCALE: SHEET No. 2 OF 13

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	12/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF


RRH-25-8-40




RRH-25-8-70




RRH-30-10-30




RRH-30-10-40




RRH-30-10-60




RRH-30-12-30




RRH-35-8-35




RRH-35-8-45




RRH-35-8-47-K5B




RRH-35-8-50




RRH-30-8-60




RRH-35-8-75



RRH-35-8-80



RRH-35-8-90



NOTES.  
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.


**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.


DRG No: 06-055				SHEET SIZE A3
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06	SCALE NTS
			SHEET No. 3 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF


RRH-35-15-40




RRH-35-15-50




RRH-35-15-60




RRH-35-18-35




RRH-35-18-50




RRH-35-18-60




RRH-40-15-40




RRH-40-15-50




RRH-40-15-100




RRH-40-20-40




RRH-40-20-50




RRH-40-20-60



RRH-40-20-70



RRH-40-20-80



NOTES.  
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 4 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/10	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.  
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 5 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.  
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 6 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.  
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 7 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.  
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.















**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 8 OF 13	



REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.  
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 9 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.  
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 10 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



**NOTES.**  
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
**RRH Solid Ferrite Cores, Impedance Graphs.**

DRG No: <b>06-055</b>		SHEET SIZE <b>A3</b>	
DRN <b>NJB</b>	DATE <b>19/06/06</b>	CHKD <b>AS</b>	SCALE <b>NTS</b>
DATE <b>19/06/06</b>		SHEET No. <b>11 OF 13</b>	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.  
1) Impedance figures are typical values.












INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 12 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011268	12/06/12	SF



NOTES.  
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

DESCRIPTION:  
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 13 OF 13	