


FERRITE MATERIAL:K5B (RMS-303)						
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK
				25MHz	100MHz	
RRH-25-8-40	2.50	4.00	0.80	33	52	4,000
RRH-25-8-70		7.00		55	85	
RRH-30-10-30	3.00	3.00	1.00	25	47	
RRH-30-12-30			1.20	23	44	
RRH-30-10-40		4.00	32	51		
RRH-30-10-60	6.00	1.00	46	74		
RRH-35-8-35	3.50	3.50	0.80	37	62	
RRH-35-12-35			1.20	26	45	
RRH-35-18-35			1.80	19	37	
RRH-35-10-40		4.00	1.00	32	55	
RRH-35-12-40			1.20	31	46	
RRH-35-13-40			1.30	29	48	
RRH-35-15-40			1.50	25	43	
RRH-35-8-45		4.50	0.80	46	86	
RRH-35-8-47		4.70		77		
RRH-35-8-50		5.00	1.20	50	85	
RRH-35-12-50	37			55		
RRH-35-13-50	1.30		61			
RRH-35-15-50	1.50		33	51		
RRH-35-18-50	1.80		27	48		
RRH-35-8-60	6.00	0.80	57	92		
RRH-35-10-60		1.00	53	75		
RRH-35-12-60		1.20	45	73		
RRH-35-13-60		1.30	43	64		
RRH-35-15-60	7.00	1.50	35	60		
RRH-35-18-60		1.80	28	54		
RRH-35-12-70		1.20	54	84		
RRH-35-8-75	7.50	0.80	69	114		
RRH-35-8-80	8.00		77	134		
RRH-35-10-80	9.00	1.00	78	111		
RRH-35-8-90		0.80	93	158		
RRH-35-13-90	9.50	1.30	62	80		
RRH-35-8-95		0.80	84	133		
RRH-35-8-140	14.00	0.80	144	212		
RRH-40-15-40	4.00	1.50	26	51		
RRH-40-20-40		2.00	24	48		
RRH-40-15-50		5.00	1.50	35	54	
RRH-40-20-50		2.00	28	51		
RRH-40-20-60			30	49		
RRH-40-20-70			40	64		
RRH-40-20-80			39	58		
RRH-40-15-100		10.00	0.05	65	91	
RRH-40-20-100			53	80		
RRH-40-20-120			2.00	52	76	
RRH-40-20-150	70			97		
RRH-40-20-170	17.00	79	116			

FERRITE MATERIAL:K5B (RMS-303)						
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK
				25MHz	100MHz	
RRH-45-25-48	4.50	4.80	2.50	21	41	2,000
RRH-45-25-70		7.00		32	55	
RRH-45-26-120		12.00		2.60	49	
RRH-46-20-110	4.60	11.00	2.00	65	104	
RRH-48-23-64	4.83	6.35	2.29	43	80	
RRH-50-23-50	5.00	5.00	2.30	30	55	
RRH-50-16-62		6.20	1.60	56	91	
RRH-50-24-64		6.35	2.36	32	50	
RRH-50-23-100		10.00	2.30	51	72	
RRH-50-15-110		11.00	1.50	84	119	
RRH-50-22-120	5.70	12.00	2.15	69	108	
RRH-50-22-180		18.00	128	147		
RRH-50-15-200		20.00	158	221		
RRH-57-15-80	8.00	1.50	76	111		
RRH-60-30-100	6.00	10.00	3.00	52	90	
RRH-60-40-100		4.00	27	48		
RRH-60-40-128		12.80	4.00	34	54	
RRH-60-32-180	6.35	18.00	3.15	100	155	
RRH-60-30-250		25.00	3.00	120	175	
RRH-64-33-127	6.50	12.70	3.30	55	80	
RRH-64-33-158		15.80		76	101	
RRH65-43-100	7.50	10.00	4.30	34	62	
RRH-65-43-110		11.00		38	63	
RRH-75-24-75	7.90	7.50	2.40	60	102	
RRH-79-30-100		10.00	3.00	68	108	
RRH-79-40-128		12.80	4.00	66	107	
RRH-79-30-190	8.00	19.00	3.00	130	190	
RRH-80-60-90		9.00	6.00	23	47	
RRH-80-60-98		9.80	22	41		
RRH-80-40-100		10.00	4.00	48	71	
RRH-80-32-101	9.30	10.06	3.18	67	115	
RRH-80-60-120		12.00	6.00	25	45	
RRH-80-50-160		16.00	5.00	59	104	
RRH93-45-95	9.50	9.50	4.50	53	98	
RRH-93-58-110		11.00	5.80	37	62	
RRH-95-48-95		9.50	4.80	50	86	
RRH-95-52-95		10.00	5.20	45	76	
RRH-95-52-100			48	74		
RRH-95-58-100		10.40	5.80	38	68	
RRH-95-50-104		5.00	12.70	4.80	56	80
RRH-95-48-127			75	121		
RRH-95-50-145		14.50	72	114		
RRH-95-50-160		16.00	95	135		
RRH-95-50-190	19.00	98	153			
RRH-96-51-159	9.52	15.88	5.08	74	103	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	30/05/06	NJB
02	CO2010989	09/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



- NOTES.**
- See drawing 06-055 sheets 3 to 13 of 13 for Impedance graphs.
 - Impedance figures are typical values.
 - Other sizes available by special order.
 - Packaging information is only a guide & subject to variation.


INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC. WWW.RICHCO-INC.COM		ALL DIMENSIONS IN MM GENERAL TOLERANCES ±0.25 UNLESS OTHERWISE STATED 1 DECIMAL PLACE ± 2 DECIMAL PLACES ± ANGULAR ±1°	THIRD ANGLE
MATERIAL: See Table		COLOUR: See Table	
DESCRIPTION: RRH Solid Ferrite Cores		PART No: See Table	
DRG No: 06-055	NPR No:	Mass:(g)	SHEET SIZE A3
DRN NJB	DATE 30/05/06	CHKD AS	DATE 30/05/06
SCALE NTS		SHEET No. 1 OF 13	

FERRITE MATERIAL:K5B (RMS-303)								
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK		
				25MHZ	100MHZ			
RRH-98-8-114	9.80	11.40	0.80	167	256	200		
RRH-98-67-135		13.50	6.70	43	91	500		
RRH-98-67-191		19.05		51	88	300		
RRH-100-50-100	10.00	10.00	5.00	54	85	500		
RRH-100-60-100		10.00	6.00	38	66			
RRH-100-70-100			7.00	31	57			
RRH-100-60-140	14.00	6.00	45	73	200			
RRH-105-55-200	10.50	20.00	5.50	95	138	150		
RRH-105-55-250		25.00		106	173			
RRH-110-50-160	11.00	16.00	5.00	87	138	200		
RRH-110-50-185		18.50		113	178			
RRH-110-50-200		20.00		106	154			
RRH-110-50-250		25.00		145	230		400	
RRH-115-50-185	11.50	18.50	4.30	101	146	100		
RRH-115-43-200		20.00		148	210			
RRH-115-43-260		26.00		190	270			
RRH-118-73-150	11.80	15.00	7.30	61	109	200		
RRH-120-70-120	12.00	12.00	7.00	46	76	300		
RRH-120-85-120			8.50	39	75			
RRH-120-56-150		15.00	5.60	79	124	200		
RRH-120-70-150			7.00	60	92			
RRH-120-85-150		20.00	8.50	45	85	100		
RRH-120-56-200			5.60	119	175		165	
RRH-120-73-200		23.00	7.30	69	108	110		
RRH-120-35-230			3.50	207	326			
RRH-120-56-300		30.00	5.60	180	260	110		
RRH-122-79-203		12.20	23.00	7.90	67	108	100	
RRH-123-70-200	12.30	20.00	7.00	72	137	165		
RRH-123-49-254	12.32	25.40	4.88	172	264	100		
RRH-125-80-125	12.50	12.50	8.00	42	72	200		
RRH-125-52-150		15.00	5.20	95	145			
RRH-127-79-127	12.70	12.70	7.90	43	60	200		
RRH-140-90-150	14.00	15.00	9.00	48	82	200		
RRH-142-64-150	14.20	15.00	6.35	92	146	110		
RRH-142-70-150			7.00	78	116			
RRH-142-80-150		8.00	63	107				
RRH-142-64-180		18.00	6.35	99	141		100	
RRH-142-70-235		23.50	7.00	127	204			
RRH-142-64-285		28.50	6.35	164	255		110	
RRH-142-70-285			7.00	143	243			
RRH-142-80-285			8.00	128	195			
RRH-149-70-190		14.99	19.00	6.99	107		171	128
RRH-149-70-279			27.94		151		237	110

FERRITE MATERIAL:K5B (RMS-303)								
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK		
				25MHZ	100MHZ			
RRH-153-102-285	15.20	28.50	10.20	81	128	99		
RRH-153-90-170	15.25	17.00	9.00	53	103	120		
RRH-153-80-280		28.00	8.00	122	180	99		
RRH-157-70-286	15.65	28.57	6.99	164	258			
RRH-158-79-160	15.80	16.00	7.90	84	132	100		
RRH-159-79-286	15.88	28.57	7.87	148	241	99		
RRH-160-90-200	16.00	2.00	9.00	98	124	112		
RRH-160-80-160		16.00	8.00	77	116	100		
RRH-160-90-170		17.00	9.00	61	115	120		
RRH-160-43-175		17.50	4.30	92	213	126		
RRH-160-70-200		20.00	7.00	111	163	96		
RRH-160-70-280				174	247			
RRH-160-90-280		28.00	9.00	104	178	99		
RRH-160-100-280		10.00	91	156				
RRH-160-90-285		28.50	9.00	105	195	88		
RRH-171-88-254		17.07	25.40	8.76	122		180	
RRH-175-80-285	17.50	28.50	8.00	139	203			
RRH-175-83-285			8.30	143	242			
RRH-175-95-285			9.50	115	170			
RRH-175-107-285	17.50	28.50	10.70	90	150			
RRH-175-95-350			35.00	9.50	152	253		
RRH-180-100-180	18.00	18.00		80	135	100		
RRH-180-100-280		28.00		124	209	88		
RRH-180-100-290	29.00		128	210				
RRH-186-102-250	18.67	25.00	10.16	115	178	77		
RRH-186-102-286				28.57	117		171	
RRH-190-130-290	19.00	29.00	13.00	60	105	40		
RRH-190-58-315				31.50	5.80		243	323
RRH-190-58-350				35.00	272		340	
RRH-190-63-350	19.00	29.00	6.30	242	324	32		
RRH-259-128-286			25.91	28.57	12.83		127	195
RRH-280-160-280	28.00	28.00	16.00	110	169	32		
RRH-285-138-286	28.50	28.57	13.77	158	250	24		















REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	30/05/06	NJB
02	CO2010989	09/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



- NOTES.**
- See drawing 06-055 sheets 3 to 13 of 13 for Impedance graphs.
 - Impedance figures are typical values.
 - Other sizes available by special order.
 - Packaging information is only a guide & subject to variation.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.			
RICHCO, INC. WWW.RICHCO-INC.COM		ALL DIMENSIONS IN MM GENERAL TOLERANCES ±0.25 UNLESS OTHERWISE STATED 1 DECIMAL PLACE ± 2 DECIMAL PLACES ± ANGULAR ±1°	THIRD ANGLE
MATERIAL: See Table		COLOUR: See Table	
DESCRIPTION: RRH Solid Ferrite Cores		PART No: See Table	
DRG No: 06-055	NPR No:	Mass:(g)	SHEET SIZE A3
DRN NJB	DATE 30/05/06	CHKD AS	DATE 30/05/06
SCALE		SHEET No. 2 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	12/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.


RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.


DRG No: 06-055				SHEET SIZE A3
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06	SCALE NTS
			SHEET No. 3 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF


RRH-35-15-40




RRH-35-15-50




RRH-35-15-60




RRH-35-18-35




RRH-35-18-50




RRH-35-18-60




RRH-40-15-40




RRH-40-15-50




RRH-40-15-100




RRH-40-20-40




RRH-40-20-50




RRH-40-20-60



RRH-40-20-70



RRH-40-20-80



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 4 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/10	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 5 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 6 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 7 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 8 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 9 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 10 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 11 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.












INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 12 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011268	12/06/12	SF



NOTES.
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055					SHEET SIZE A3
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06	SCALE NTS	SHEET No. 13 OF 13