



REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	07/08/06	NJB
02	CO2011054	09/02/11	SF
03	CO2011253	13/04/12	SF



FERRITE MATERIAL: K5B • GLUE: RMS-301 • WIRE: RMS-308

PART NUMBER	A	B	IMPEDANCE(Ω)		STANDARD PACK SIZE		
			100MHz	25MHz			
RRHL-25-30-8T52	2.50±0.15	3.00±0.20	27	47	5000		
RRHL-25-40-8T52		4.00±0.30	32	51			
RRHL-25-70-8T52		7.00±0.30	56	89			
RRHL-35-30-8T52	3.50±0.15	3.00±0.20	33	59			
RRHL-35-32-8T52		3.20±0.20	31	57			
RRHL-35-35-8T52		3.50±0.15	37	63			
RRHL-35-45-8T26		4.50±0.30	4.50±0.30	39		76	1000
RRHL-35-45-8T52			4.50±0.30	47		76	5000
RRHL-35-47-8T26			4.70±0.30	4.70±0.30		46	72
RRHL-35-47-8T52		4.70±0.30		49		79	5000
RRHL-35-50-8T26		5.00±0.30		5.00±0.30	47	72	2000
RRHL-35-50-8T52			5.00±0.30	50	85	5000	
RRHL-35-60-8T26			6.00±0.30	6.00±0.30	55	84	2000
RRHL-35-60-8T52	6.00±0.30	57		84	5000		
RRHL-35-67-8T52	6.70±0.30	65		99			
RRHL-35-75-8T52	7.50±0.30	68	113				
RRHL-35-80-8T26	8.00±0.30	8.00±0.30	70	125	1000		
RRHL-35-80-8T52		8.00±0.30	88	138	5000		
RRHL-35-83-8T52		8.30±0.30	74	131			
RRHL-35-90-8T26	9.00±0.30	9.00±0.30	85	150		1000	
RRHL-35-90-8T52		9.00±0.30	92	140	5000		
RRHL-35-95-8T52		9.50±0.40	99	157			
RRHL-35-100-8T52	11.40±0.40	10.00±0.40	99	157		5000	
RRHL-35-114-8T52		11.40±0.40	105	165			
RRHL-35-140-8T52		14.00±0.40	144	212			

- NOTES.
1) See drawing 06-086 sheets 2 & 3 of 3 for Impedance graphs.
2) Impedance figures are typical values.
3) other sizes available by special order.
4) Packaging information is only a guide & subject to variation.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM


ALL DIMENSIONS IN MM
GENERAL TOLERANCES ±0.25
UNLESS OTHERWISE STATED
1 DECIMAL PLACE ±
2 DECIMAL PLACES ±
ANGULAR ±1°

THIRD ANGLE


MATERIAL: See Table	COLOUR: See Table				
DESCRIPTION: RRHL Ferrite Bead Cores, Axial taped type.	PART No: See Table				
DRG No: 06-086	NPR No:				
DRN NJB	DATE 07/08/06	CHKD AS	DATE 07/08/06	SCALE NTS	SHEET No. 1 OF 3

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	07/08/06	NJB
02	CO2011054	09/02/11	SF
03	CO2011253	13/04/12	SF


RRHL-25-30-8T52




RRHL-25-40-8T52




RRHL-25-70-8T52




RRHL-35-30-8T52




RRHL-35-32-8T52




RRHL-35-35-8T52




RRHL-35-45-8T26




RRHL-35-45-8T52




RRHL-35-47-8T26




RRHL-35-47-8T52




RRHL-35-50-8T26




RRHL-35-50-8T52




RRHL-35-60-8T26




RRHL-35-60-8T52



RRHL-35-67-8T52



RRHL-35-75-8T52



NOTES.
1) Impedance figures are typical values.










INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRHL Ferrite bead cores - Axial taped type
Impedance graphs

DRG No: 06-086		SHEET SIZE A3	
DRN NJB	DATE 07/08/06	CHKD AS	DATE 07/08/06
SCALE NTS	SHEET No. 2 OF 3		

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	07/08/06	NJB
02	CO2011054	09/02/11	SF
03	CO2011253	13/04/12	SF



NOTES.
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRHL Ferrite bead cores - Axial taped type
Impedance graphs

DRG No: 06-086 SHEET SIZE A3

DRN	DATE	CHKD	DATE	SCALE	SHEET No.
NJB	07/08/06	AS	07/08/06	NTS	3 OF 3