



surge suppressor, suppression diode 12-250 V DC, for contactors 3RT2.1 and auxiliary contactors 3RH2

product brand name	SIRIUS	
product designation	surge suppressor	
<b>General technical data</b>		
size of contactor	S00	
type of voltage of the control supply voltage	DC	
certificate of suitability	CE / UL / CSA	
Substance Prohibitance (Date)	10/01/2009	
<b>Ambient conditions</b>		
ambient temperature		
• during operation	-25 ... +60 °C	
• during storage	-40 ... +80 °C	
<b>Control circuit/ Control</b>		
type of voltage of the control supply voltage	DC	
control supply voltage 1		
• at DC	12 ... 250 V	
design of the surge suppressor	diode	
<b>Installation/ mounting/ dimensions</b>		
mounting position	any	
fastening method	clip-on	
height	46 mm	
width	28 mm	
depth	9 mm	
<b>Certificates/ approvals</b>		
General Product Approval	EMC	Declaration of Conformity



[Confirmation](#)



Declaration of Conformity	Test Certificates	Marine / Shipping
---------------------------	-------------------	-------------------






EG-Konf.

[Special Test Certificate](#)

[Type Test Certificates/Test Report](#)



Marine / Shipping	other	Railway	Environment
 RINA	 RMRS	<a href="#">Confirmation</a>  VDE	<a href="#">Vibration and Shock</a> <a href="#">Environmental Confirmations</a>

#### Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RT2916-1DG00>

Cax online generator

<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RT2916-1DG00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RT2916-1DG00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3RT2916-1DG00&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RT2916-1DG00&lang=en)

