

Doc. no. 1SFC151010D0201

Rev. ind. Version 0
Date 2005-02-21

From John Björkbacka

Dept. SECRL/M
Phone +46 21 320310
Fax +46 21 320273

E-mail john.bjorkbacka@se.abb.com

Environmental Information

| Product name | Pilot devices |
|---------------------------|----------------------------|
| ABB Identity number | 1SFA 611 nnnXnnnn |
| | |
| Information provided by | John Björkbacka |
| (Name and e-mail address) | john.bjorkbacka@se.abb.com |
| Business area | AT Automation Products |
| Date | 2005-02-21 |

1. Related documents

Industrial ^{IT} Architecture - Introduction and Definitions, 3BSE023904

Industrial ^{IT} Certification Overview, 3BSE023905

Industrial ^{IT} Certification Guideline, 3BSE024526

Industrial IT Enabled Level 0 - Information, Introduction and Definitions, 3BSE025934

Doc. no. 1SFC151010D0201

Rev. ind. Version 0
Date 2005-02-21

2. Environmental Information

2.1 Content of hazardous materials

Declare the presence of hazardous materials in the product. Printed circuit boards are declared separately under 2.1.1 and should be excluded from the declaration in the table below.

| Material | Example application | Yes | No | Quantity/unit Optional ⁽¹⁾ |
|--|---------------------------------------|-----|----|--|
| Lead | Batteries, cables | | Χ | |
| Cadmium | Batteries, switches, additive in lead | | Χ | |
| Mercury | Batteries, switches | | Χ | |
| Beryllium | Contact springs | | Χ | |
| Brominated flame retardants, e.g: PBB, PBDE, TBBPA | Additive in plastics or rubber | | Х | |
| HCFCs, e.g: R 22, R 123, R 141b | Cooling media | | Х | |
| SF6, sulphurhexafluoride Breakers | | | Χ | |
| Polyvinyl chloride, PVC | Cables | | Χ | |

⁽¹⁾ Strive to declare the quantity. This is optional, however, since it is today sometimes difficult to retrieve such information, especially regarding supplied components.

2.1.1 Printed circuit boards

| | y the amount of printed circuit boards used in the product by declaring the total surface: |
|---|--|
| | < 1 dm ² |
| | 1-10 dm ² |
| | $> 10 \text{ dm}^2$ |
| X | No printed circuit boards used in the product |

| Doc. no. | 1SFC151010D0201 |
|----------|-----------------|
| Doc. no. | 1SFC151010D0201 |

Rev. ind. Version 0
Date 2005-02-21

| 2.2 Recyclir | ng infor | mation | | | |
|---|-----------|------------------------|--|--|--|
| Is recycling information for the product available? | | | | | |
| | | Yes | Ref. Document: | | |
| | X | No | | | |
| | | , please rial is pr | specify, in the table below, the component/part/physical position where the esent: | | |
| Material | | | Component/part/physical position | | |
| Lead | | | | | |
| Cadmium | | | | | |
| Mercury | | | | | |
| Beryllium | | | | | |
| Brominated flan | ne retard | ants | | | |
| HCFCs SF6, sulphurhe: | vafluarid | | | | |
| Polyvinyl chloric | | U | | | |
| | | d/or loss | ses during the operation of the product | | |
| | | ergy use mentatio | e and/or losses during operation of the product specified in the product on? | | |
| | | Yes | Ref. Document: | | |
| | | No | | | |
| | X | Not re | elevant | | |