PROXIMITY INDUCTIVE 8BX

Model:LJ8A3-2-Z/BX



Description:

- Metal shell, DC type, 2mm detecting distance, 3 wire system.
- Power supply inverted connecting protection, short circuit protection, non-contact detecting device.
- When proximity switch is close to some target object, it will send out control signal.
- Used widely in the machine tool industry, frequency counters and other automatic control system.


Specifications:

Inductive Proximity Switch
LJ8A3-2-Z/BX
Inductive Sensor
3 Wire Type (Brown, Blue, Black)
Cylinder Type, Metal Shell
NPN, NO(Normal Open)
2mm +/- 10%
6-36 V DC
0~1.6mm
200mA
Iron
Iron 12x12x1mm
DC 0.5kHz , AC 25Hz
8mm
8mm
51x8mm (L * D)
1.24m
Plastic, Metal
Silver Tone, Gray, Yellow




Dimension				М8
Detection distance				2mm
Dimensional drawing				Φ15 45 40 45 48.5 48.5 48.5 48.5 Action display light (Red) 2 Buckle washer
Model	DC Type		NO	LJ8A3-2-Z/BX
		NPN	NC	LJ8A3-2-Z/AX
			NO+NC	
		DC	NO	LJ8A3-2-Z/BY
		Туре РМР	NC	LJ8A3-2-Z/AY
			NO+NC	
		Two-wire	NO	LJ8A3-2-Z/EX
			NC	LJ8A3-2-Z/DX
	AC Type Three-wire		NO	LJ8A3-2-J/EZ
		NC	LJ8A3-2-J/DZ	
		Three-wire	NO+NC	


Installation:








Applications legend:














Made in China

