1335 Screwdriver for slotted screws, 0.4 x 2 x 60 mm

Kraftform Comfort







EAN: 4013288108944 **Size:** 141x26x26 mm

Part number:05031400001Weight:26 gArticle number:1335Country of origin:CZ

Customs tariff 82054000

number:

- Kraftform Comfort screwdriver for slotted screws
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Handle markings simplify finding and sorting of tools
- · Hexagonal anti-roll feature against rolling away
- The Wera Black Point tip offers an exact fit and optimum corrosion protection







High quality Kraftform Comfort screwdriver with circular blade for slotted screws. Multi-component Kraftform handle for fast and low-fatigue working. The Wera Black Point tip and a complex hardening process ensure a long service life of the tip, enhanced corrosion protection and an exact fit. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace. Handle markings for simplified finding and sorting of the tool.

Kraftform Comfort



Kraftform Comfort Handle



The multi-component Kraftform handle for quick and low-exertion working.

Identification marking



The screw symbol and tip size identification markings on the handle make it easier to find the right screwdriver in the tool case, or at the workplace.

Non-roll feature



The hexagonal non-roll feature prevents any rolling away at the workplace.

Longer product service life

Black Point tip for precise fit.

The ergonomic introduction to

convenient screwdriving. Handle

with Kraftform geometry and blade

made from power bit material with



The bit material used for manufacturing is subjected to a specific Wera hardening process, and this ensures longer product service life.

Wera Black Point tip



The Wera Black Point tip and a refined hardening process ensure long service life of the tip, improved corrosion protection and an exact fit.

1335 Screwdriver for slotted screws, 0.4 x 2 x 60 mm

Kraftform Comfort



Further versions in this product family:

		▶ ■ ◀	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	A V	\varnothing	▶	
	mm	mm	mm	mm	mm	inch	inch
05031400001	0.4	2.0	60	81	2.5	5/64	2 3/8
05031401001	0.4	2.5	75	81	2.5	3/32	3
05031402001	0.5	3.0	80	81	3.0	1/8	3 1/8
05031403001	0.5	3.0	150	81	3.0	1/8	6
05031405001	0.6	3.5	100	81	3.5	9/64	4
05031406001	0.6	3.5	125	81	3.5	9/64	5
05031408001	0.8	4.0	100	98	4.0	5/32	4
05031409001	0.8	4.0	150	98	4.0	5/32	6
05031411001	0.8	4.0	300	98	4.0	5/32	12
05345283001	0.8	4.5	100	98	4.5	5/32	4
05031412001	1.0	5.5	125	98	5.5	7/32	5
05031413001	1.0	5.5	150	98	5.5	7/32	6
05031416001	1.2	6.0	100	105	6.0	15/64	4